

EDGESINKS™

Seamless Integration

**The ULTIMATE in
Seamless Integration**

Because seeing is believing™





The ONLY
stainless steel sinks
which can be
SEAMLESSLY integrated
into ALL surfaces...

EDGESINKS™ in Quartz

- 
- + Laminate
 - + Compact
 - + Solid Surface
 - + Quartz
 - + Ceramic
 - + Marble
 - + Stone
 - + Hardwood

EDGESINKS™ in Quartz



EDGESINKS™ in Solid Surface

About Us

With over 30 years' experience in the global kitchen & sink industry, we are proud to bring the EdgeSinks™ concept to Europe – the most dramatic & influential innovation to enter our industry, changing forever the relationship with the sink & work surface.

Together with our partners Karran USA, we have developed a range of luxury handmade sinks for the European furniture & commercial market. Our EdgeSinks™ are unrivalled in the market place.

EdgeSinks™ are tried & tested and have been the industry choice for nearly seven years in North America. Now, together with our distribution partners Europe-wide, we bring the Edge Sink to you. Our distribution channels include Ireland, UK, Germany, Italy, Netherlands, Belgium, France and Israel, all stocking the complete range of EdgeSinks™ & Accessories.

Value added & self-sale

Retail & marketing have described EdgeSinks™ as a "Value added & self-sale" product; consumers instantly recognise that the Edge system eliminates all the issues associated with traditional methods, an innovation to arouse the consumer and close that sale!



EDGESINKS™ in Fenix NTM®

EDGE ELITE


PRFE 100



Features & Specification

- + Bowl size 300 x 162 x 110
 - + 15mm radius corners
 - + 1.2mm, 304 stainless steel
 - + Steel surface, brushed satin finish
 - + Functional drain groves
 - + 25mm machined resin matrix rim
 - + Under mount installation only
 - + 90mm waste opening
 - + Waste sets not included with sink
- + Supplied without adhesive or template
 - + Waste set: COM028

ART NO. 110.100/101




PRFE 200



Features & Specification

- + Bowl size 340 x 400 x 220
 - + 15mm radius corners
 - + Overflow aperture
 - + 1.2mm, 304 stainless steel
 - + Steel surface, brushed satin finish
 - + Sound damping pads
 - + Functional drain groves
 - + 25mm machined resin matrix rim
 - + Under mount installation only
- + 90mm waste opening
 - + Waste & overflow sets not included with sink
 - + Supplied without adhesive or template
 - + Waste & Overflow set: COM024 | COM018

ART NO. 211.100/101




PRFE 280



Features & Specification

- + Bowl size 440 x 400 x 220
 - + 15mm radius corners
 - + Overflow aperture
 - + 1.2mm, 304 stainless steel
 - + Steel surface, brushed satin finish
 - + Sound damping pads
 - + Functional drain groves
 - + 25mm machined resin matrix rim
 - + Under mount installation only
- + 90mm waste opening
 - + Waste & overflow sets not included with sink
 - + Supplied without adhesive or template
 - + Waste & Overflow set: COM024 | COM018

ART NO. 211.700/701




PRFE 300



Features & Specification

- + Bowl size 540 x 400 x 220
 - + 15mm radius corners
 - + Overflow aperture
 - + 1.2mm, 304 stainless steel
 - + Steel surface, brushed satin finish
 - + Sound damping pads
 - + Functional drain groves
 - + 25mm machined resin matrix rim
 - + Under mount installation only
- + 90mm waste opening
 - + Waste & overflow sets not included with sink
 - + Supplied without adhesive or template
 - + Waste & Overflow set: COM024 | COM018

ART NO. 311.100/101




PRFE 350L



Features & Specification

- + 1 + 1/2 bowl kitchen sink
- + Bowl size 340 x 400 x 220 & 300 x 162 x 110
- + 15mm radius corners
- + 1.2mm, 304 stainless steel
- + Overflow aperture
- + Steel surface, brushed satin finish
- + Under mount installation only
- + 25mm machined resin matrix rim

- + Functional drain groves
 - + Sound damping pads
 - + 90mm waste opening
 - + Waste & overflow sets not included with sink
 - + Supplied without adhesive or template
 - + Waste & Overflow set: COM025 | COM019
- PRFE 350L ART NO. 321.100/001
PRFE 350R ART NO. 321.200/201




PRFE 400



Features & Specification

- + Bowl size 710 x 400 x 220
- + 15mm radius corners
- + Overflow aperture
- + 1.2mm, 304 stainless steel
- + Steel surface, brushed satin finish
- + Sound damping pads
- + Functional drain groves
- + 25mm machined resin matrix rim
- + Under mount installation only

- + 90mm waste opening
 - + Waste & overflow sets not included with sink
 - + Supplied without adhesive or template
 - + Waste & Overflow set: COM025 | COM019
- ART NO. 421.100/101




PRFE 500



Features & Specification

- + 1 + 1/2 bowl kitchen sink
- + Bowl size 340 x 400 x 220 & 400 x 162 x 110
- + 15mm radius corners
- + 1.2mm, 304 stainless steel
- + Overflow aperture
- + Steel surface, brushed satin finish
- + Under mount installation only
- + 25mm machined resin matrix rim

- + Functional drain groves
 - + Sound damping pads
 - + 90mm waste opening
 - + Waste & overflow sets not included with sink
 - + Supplied without adhesive or template
 - + Waste & Overflow set: COM025 | COM019
- ART NO. 521.100/101




PRF 900



Features & Specification

- + Bowl size 760 x 400 x 220
- + 15mm radius corners
- + Overflow aperture
- + 1.2mm, 304 stainless steel
- + Steel surface, brushed satin finish
- + Sound damping pads
- + Functional drain groves
- + 25mm machined resin matrix rim
- + Under mount installation only

- + 90mm waste opening
 - + Waste & overflow sets not included with sink
 - + Supplied without adhesive or template
 - + Waste & Overflow set: COM024 | COM018
- ART NO. 911.100/101



EDGE PRO

NEW


The new EDGE-PRO range will be introduced in 2018. EDGE-PRO is a pressed sink range designed to complement our handmade Edge-elite series. Available in three of the most popular models, Edge-Pro retains all the capabilities of the Edge principal with an added competitive edge.

PRDE 200



Features & Specification

- + Bowl size 400 x 340 x 228
 - + 20mm radius corners
 - + Overflow aperture
 - + 1.2mm, 304 stainless steel
 - + Steel surface, brushed satin finish
 - + Sound damping pads
 - + Functional drain groves
 - + 25mm machined resin matrix rim
 - + Under mount installation only
 - + 90mm waste opening
 - + Waste set not included with sink
 - + Supplied without adhesive or template
 - + Waste & Overflow set: COM024
- ART NO. 220.100




PRDE 280



Features & Specification

- + Bowl size 400 x 450 x 228
 - + 20mm radius corners
 - + Overflow aperture
 - + 1.2mm, 304 stainless steel
 - + Steel surface, brushed satin finish
 - + Sound damping pads
 - + Functional drain groves
 - + 25mm machined resin matrix rim
 - + Under mount installation only
 - + 90mm waste opening
 - + Waste set not included with sink
 - + Supplied without adhesive or template
 - + Waste & Overflow set: COM024
- ART NO. 220.700




PRDE 300



Features & Specification

- + Bowl size 395 x 548 x 228
 - + 20mm radius corners
 - + Overflow aperture
 - + 1.2mm, 304 stainless steel
 - + Steel surface, brushed satin finish
 - + Sound damping pads
 - + Functional drain groves
 - + 25mm machined resin matrix rim
 - + Under mount installation only
 - + 90mm waste opening
 - + Waste set not included with sink
 - + Supplied without adhesive or template
 - + Waste & Overflow set: COM024
- ART NO. 320.100



EDGE MOBILE


NEW

Edge Mobile has been designed as a convenient portable method of introducing customers to the principal of Edge Sinks.

The Edge seamless system has to be seen to be believed. That makes Edge Mobile a very useful and simple way to demonstrate the unique attributes of the Edge seamless system & all its advantages. Whether it's a meeting with specifiers, designers, architects or your kitchen customers, the Edge Mobile gives the decision maker an opportunity to fully understand & appreciate all the advantages of Edge Sinks, wherever their location.

Edge-Mobile is also ideal for kitchen studios that may not have the facility to display Edge in all work surface materials.

PRFE100-Laminate




Features & Specification

- + PRFE100 Edge Sink
- + Size 38mm x 400mm x 550mm
- + Fenix Laminate

ART NO. 400.900

PRFE100-Quartz




Features & Specification

- + PRFE100 Edge Sink
- + Size 12mm x 400mm x 550mm
- + 12mm Cosentino Quartz

ART NO. 400.910

PRFE100-Solid Surface



Features & Specification

- + PRFE100 Edge Sink
- + Size 12mm x 400mm x 550mm
- + 12mm Solid Surface

ART NO. 400.920

EDGE COMMERCIAL

The Edge seamless system not only offers a perfect transition from any worktop surface material to steel sink, it also offers the ultimate in hygiene.

Edge Commercial do not have an overflow system which makes them Ideal for washrooms, clean rooms, laboratory & medical applications. Edge Commercial offers real solutions for the leisure, medical & food industry where hygiene is of critical importance.


PRPE305-NF



Features & Specification

- + Vanity sink
- + Bowl size Ø 330mm x 145mm
- + 1.2mm, 304 stainless steel
- + Sound damping pads
- + Machined resin matrix rim
- + Steel surface, brushed satin finish
- + Can only be installed in new worktops
- + Undermount installation only
- + This sink does not have an overflow
- + Waste fittings are not included
- + Supplied without adhesive or template

ART NO. 305.100




PRPE303-NF



Features & Specification

- + Single bowl sink
- + Bowl size 393 x 310 x 145mm
- + 1.2mm, 304 stainless steel
- + Steel surface, brushed satin finish
- + Sound damping pads
- + Machined resin matrix rim
- + Under mount installation only
- + Waste sets not included with sink
- + Supplied without adhesive or template

ART NO. 303.100



WASTE FITTING

Model: COM2500

Features & Specification

- + Suitable For:
PRFE525 | 510 | 520 | 280-NF

ART NO. 110.120



WASTE CHUTE

Model: WCFE-180 / WCFE-230

Features & Specification

- + Manufactured from 18 gauge, Type 304 stainless steel
- + Machined, resin matrix rim
- + Surface has a brushed satin finish
- + Installation only in new countertops
- + Undermount installation required. May not be top mounted
- + Supplied without mounting adhesive, clips or template
- + Available in a 178mm internal diameter (WCFE-180 and a 228mm internal diameter WCFE-230)
- + 76mm depth



WCFE-180 ART NO. 307.100

WCFE-230 ART NO. 309.100


PRFE525-NF



Features & Specification

- + Bowl size 532 x 432 x 140
- + 15mm radius corners
- + No overflow with this sink
- + 1.2mm, 304 stainless steel
- + Steel surface, brushed satin finish
- + Sound damping pads
- + Functional drain groves
- + Machined resin matrix rim
- + Under mount installation only
- + 90mm waste opening
- + Waste sets not included with sink
- + Supplied without adhesive or template

ART NO. 525.101




PRFE510-NF



Features & Specification

- + Bowl size 330 x 432 x 228
- + 15mm radius corners
- + No overflow with this sink
- + 1.2mm, 304 stainless steel
- + Steel surface, brushed satin finish
- + Sound damping pads
- + Functional drain groves
- + 25mm machined resin matrix rim
- + Under mount installation only
- + 90mm waste opening
- + Supplied without adhesive or template

ART NO. 510.101




PRFE520-NF



Features & Specification

- + Bowl size 532 x 432 x 228
- + 15mm radius corners
- + No overflow with this sink
- + 1.2mm, 304 stainless steel
- + Steel surface, brushed satin finish
- + Sound damping pads
- + Functional drain groves
- + Machined resin matrix rim
- + Under mount installation only
- + 90mm waste opening
- + Waste sets not included with sink
- + Supplied without adhesive or template

ART NO. 520.101




PRFE280-NF



Features & Specification


- + Bowl size 440 x 400 x 220
- + 15mm radius corners
- + No overflow with this sink
- + 1.2mm, 304 stainless steel
- + Steel surface, brushed satin finish
- + Sound damping pads
- + Functional drain groves
- + Machined resin matrix rim
- + Under mount installation only
- + 90mm waste opening
- + Waste sets not included with sink
- + Supplied without adhesive or template

ART NO. 211.751




EDGE WASTE & OVERFLOW FITTINGS

024




Compatibility: PRFE200 | PRFE280 | PRFE300 | PRFE900
PRDE200 | PRDE280 | PRDE300


025



028




Compatibility: PRFE100



Compatibility: PRFE350L | PRFE350R | PRFE400 | PRFE500


Waste Fittings - with Pop Up Basket Strainer Waste & Overflow

018



Compatibility: PRFE200 | PRFE280 | PRFE300 | PRFE900
PRDE200 | PRDE280 | PRDE300

019



Compatibility: PRFE350L | PRFE350R | PRFE400 | PRFE500

EDGE TOOLING

TTXC121-11-PB25



TCT 2 Flute 10 Deg Overlay Counter Top Edge Trimmer

TTXC616-PB25



TCT 2 Flute 45 Deg Overlay Top Edge Trimmer

TTXC066-19-PB25



TCT 2 Flute Overhang Trimmer

TTXC076-19-PB25



TCT Triple Flute Overhang Trimmer

TTXC121-11-PB25




TCT 2 Flute 10 Deg Overlay Counter Top Edge Trimmer

TTXC121-11-PB25



TCT 2 Flute 10 Deg Overlay Counter Top Edge Trimmer



EDGE ADHESIVES



It is very important to use the correct adhesives & use them within the manufacturers recommendations. Always read the instructions provided with all cartridges of adhesive.

In partnership with Bondloc UK, we have developed an adhesive in a range of colours suitable for bonding Edge Sinks to laminate, solid surface & stone.


Edge Sinks SSA is a two part methyl methacrylate 10-1 adhesive & is available ex-stock in four colours (other colours can be manufactured to order)

When bonding Edge sinks to any work surface material, always colour match the adhesive with the core of the surface material.

ADHESIVE


EDGE Sinks Seaming Adhesive

*NOTE: Colours should be used as a general guide only. Visit www.ral-colours.com or use RAL colour chart for more.




WHITE

250ml
SSA-GW01
9016
ART NO. 999.100




BLACK

250ml
SSA-BL01
9017
ART NO. 999.110



MID GREY/SILVER

250ml
SSA-SG01
7005
ART NO. 999.120



DARK BROWN

250ml
SSA-DB01
8014
ART NO. 999.130



APPLICATOR GUN




The VR200 adhesive applicator gun is a robust steel constructed tool. Compatible with mixpac 250ml cartridges system used by most adhesive brands.

ART NO. 590.101

EDGE STONE

CONTOUR CAT

The Edge Contour Cat has been developed & adapted for the installation of Edge Sinks into Quartz, Ceramic & natural stone. Its unique design is effective & easy to use.



The Edge Contour Cat is available in 220v & 110v.



- + Great versatility for edge processing making it ideal for installing Edge sinks into Quartz, Stone and Ceramic.
- + Ideal view of the grinding area
- + Good guidance even on narrow working surfaces
- + Variable speed with setting wheel
- + Height adjustment with locking screws
- + Long-life silicone connecting cable
- + Temperature-dependent overload protection
- + Spindle lock for easy tool change
- + Self-cutting carbon brushes and easy brush exchange.

ART NO. 507.101

Diamond Tooling

VBE 60



- + #60 grit (for cutting)
- + Vacuum brazed router bit
- + 11° Bevel
- + M14 Female
- + Internal water distribution feeds
- + Oversize nylon bearing
- + Operating speed 5500/6000rpm
- + For quartz & natural stone

ART NO. 570.100

EBE 200



- + #200 (for pre-finishing)
- + Electroplated router bit
- + 11° Bevel
- + M14 Female
- + Internal water distribution feeds
- + Oversize nylon bearing
- + Operating speed 5500/6000rpm
- + For quartz & natural stone

ART NO. 570.120

POLISHING



DIAMOND POLISHING PADS

Foam-backed straight diamond hand pads are for use on quartz, granite, marble, ceramic. They are ideal for final honing of the worktop material back to the steel line of the sink.



ELECTROPLATED DIAMOND PAPER

Electroplated diamond paper is very useful for final honing of the worktop material in the corners of the EdgeSink.



SCOTCH BRITE PAD 7447 MAROON

The 3m 7447 scotch brite pad can be used to repair any light marks or scratches on the steel surface.



EDGESINKS™ in Quartz



EDGESINKS™ in Hardwood



EDGESINKS™ in Laminate



EDGESINKS™ in Fenix Laminate

Important Information

Recessing Edge into worktop surface

Recessing Edge sinks into the worktop surface produces a more streamlined & modern look. It also reduces the amount of worktop material to be machined back to the steel line. This is a particular advantage when working with the harder materials such as Quartz & Ceramic.

Depth of the recess depends on the integrity & colour strength of the material, leaving 4 to 6 mm from the top surface is normal for most materials.

Edge Sink resin rim size

We continually strive to develop & improve our products. Autumn 2016 we reduced the width of the resin rim around the sink edge from 31mm to 25mm. This minimises any obstruction on the underside of the worktop surface. In this changeover period, you should always check the rim size before machining your counter top.

ART numbers ending with 000 will have the 31mm resin rim size.
ART numbers ending with 001 will have the revised 25mm rim size.

The size of the sink bowls remain the same on each model.



Installation guides for Edge sinks.

You will find installation guides on our website www.edgesinks.eu. Both step by step illustrations & videos of installing Edge sinks in Laminate, solid surface & Quartz.

It is important that the Edge sink is installed properly & in accordance with the manufacturers guide lines. Should you require any further information or advice, contact your distributor or email Edge Sinks at sales@edgesinks.eu.

Scan the QR Code to view installation videos





EDGESINKS™ in Laminate



EDGESINKS™ in Fenix NTM®



EDGESINKS™ in Quartz

EDGESINKS™

Seamless Integration

Edge Sinks Europe LTD
Kerlogue Business Park
Kerlogue, Wexford
Y35 A9PX
IRELAND

Tel: 00 353 53 9122537
Mobile: 00 353 86 2596160
Email: sales@edgesinks.eu
www.edgesinks.eu

2017/18